

EMERGENCY LIGHTING



2023
NEW
CATALOGUE

www.alroufled.com

EMERGENCY CEILING LIGHT


BY-Z3108E&BY-Z1015E&
BY-Z1018E&BY-Z1024E




Features

- » Super bright&Long Lasting LEDs
- » TUV CE & CB Approved
- » Test switch and AC-ON indicator included
- » 3 Hour Emergency Duration
- » Overcharge and Over-discharge protection

Light Distribution Curve



Product Size



Unit:mm

Product parameters

MODEL NAME	BY-Z3108E	BY-Z1015E	BY-Z1018E	BY-Z1024E
Input Voltage	AC 220-240V, 50/60 Hz, 100mA	AC 220-240V, 50/60 Hz, 140mA	AC 220-240V, 50/60 Hz, 150mA	AC 220-240V, 50/60 Hz, 180mA
Light Source	SMD 2835(70pcs)	SMD 2835(84pcs)	SMD 2835(96pcs)	SMD 2835(144pcs)
Input Power	8W	15W	18W	24W
Emergency Power	0.8W	1.5W	1.8W	2.5W
Operation Mode	Maintained & Non-Maintain & Switch control	Maintained & Non-Maintain & Switch control	Maintained & Non-Maintain & Switch control	Maintained & Non-Maintain & Switch control
Emergency Duration	3 Hrs	3 Hrs	3 Hrs	3 Hrs
Luminance Flux	500 Lm	900 Lm	1450 Lm	1650 Lm
Emergency Luminance Flux	100 Lm	250 Lm	280 Lm	330 Lm
Recharge Time	24 Hrs	24 Hrs	24 Hrs	24 Hrs
Battery	LiFePO4 3.2V 1500mAh	LiFePO4 6.4V 1500mAh	LiFePO4 9.6V 1500mAh	LiFePO4 9.6V 1500mAh
Degree of Protection	IP54	IP65	IP65	IP65
Operation Temp Range	0 °C -40°C	0 °C -40°C	0 °C -40°C	0 °C -40°C
Auto test	No	No	No	No
Certificate	CE & CB-TUV	CE & CB-TUV	CE & CB-TUV	CE & CB-TUV



الروف
LIGHTING TECHNOLOGY CO.Ltd.



شركة الروف
لتقنية الإنارة المحدودة

Dammam
Head Office
Prince Metib St, Izdihar District,
Alrouf Trading Building,
Dammam 34252,
Saudi Arabia.
Phone: 920013524
sales@alroufled.com

JEDDAH
Branch Office
Commercial Centre for
Dr.Hassan Nasr
Baladiyah Street,
Al Aziziyah District.
Contact person:
Ahmed Faris

ABHA
Branch Office
Southern Region,
Khamis Mushait,
Kingdom of Saudi Arabia.
Contact person:
Malik Bashir

RIYADH
Branch Office
Contact person:
Mr. Hasan

www.alroufled.com